

13004 Bin # 100-222 WT 3800
SALCO PUBLIC SCALE
 19204 S. FIGUEROA STREET
 GARDENA, CA 90248
 (310) 352-4483 • FAX (310) 532-2841

128087

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Weighed for: <u>Boeing</u>		Torrance - CA	
Delivered to: <u>ECT</u>		Torrance - CA	
DRIVER <u>[Signature]</u>	CARRIER <u>ECT</u>	B L NO.	FEE <u>7</u> PD <input checked="" type="checkbox"/>
		\$	CHG <input type="checkbox"/>
WEIGHT IN LBS.	TIME	DATE	WYCKOFF, INC. WEIGHMASTER
GROSS ▶ Time: 6:45 AM Date: 05/31/01 69280Lb			BY <u>[Signature]</u> Weighed at: 19204 S. FIGUEROA STREET GARDENA, CALIFORNIA 90248
TARE ▶ Time: 2:17 PM Date: 05/30/01 23160Lb			BY <u>[Signature]</u> VEHICLE LICENSE NUMBERS
NET ▶ <u>46,120</u>			TRUCK <u>9B04859</u> TRAILER TRAILER UNITS COMMODITY MARK <u>1</u> <u>Concrete</u>

Tare wt Truck only

DRIVER - COPY

THE BOEING COMPANY

LONG BEACH DIVISION
3855 LAKEWOOD BOULEVARD
LONG BEACH, CA 90846
562-593-4325

WEIGHT TICKET

VEN OR: <u>ECI</u>	GROSS WEIGHT (HEAVY WEIGHT): (TRUCK, BIN(S) AND WASTE) #	+	69280
	TRUCK TARE (LIGHT WEIGHT): TRUCK#:	-	23100
	FIRST BIN BIN TARE (EMPTY WEIGHT): BIN#: 1-20-222 TRACKIT #: 00- DR-13619----	-	3,800
CON NTS: <u>Concrete</u>	SECOND BIN BIN TARE (EMPTY WEIGHT): BIN#: TRACKIT #: 00- ----	-	
DISP ALF CITY: <u>CWM Kellerman</u>	NET WEIGHT OF THE LOAD: (WEIGHT OF THE WASTE ONLY)	TOTAL	42320
MAN EST #: <u>20879717</u>			▲ ENTER THIS WEIGHT ON THE MANIFEST OR SHIPPING PAPERS
CON NTS:			
DMH EIGHT KETC. 00			
NAM <u>Maxia</u>	SIGNATURE <u>Maxia</u>	TIME: <u>6:45am</u>	DATE: <u>05/3/10</u>

20879720
IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address Douglas Aircraft Co., C6, N/S D036-0009 3855 Lakewood Blvd. Long Beach, CA 90846		C A D 0 8 6 5 1 0 0 0 6 7 9 7 2 0		A. State Manifest Document Number 20879720	
4. Generator's Phone ((562) 496-8524				B. State Generator's ID H A H Q 3 9 9 9 5 9 9 8	
5. Transporter 1 Company Name Ecology Control Industries		6. US EPA ID Number C A D 9 8 2 0 3 0 1 7 3		C. State Transporter's ID [Reserved]	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone (310) 320-2558	
9. Designated Facility Name and Site Address Chemical Waste Management 33251 Old Skyline Rd. Kettleman City, CA 93239		10. US EPA ID Number C A T 0 0 0 6 4 6 1 1 7		E. State Transporter's ID [Reserved]	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type		13. Total Quantity	14. Unit Wt/Vol
a. RC Hazardous waste solid, n.o.s. (Chromium), 9, NA3077, PGIII (D007)		001 CM		42320	P
b.					
c.					
d. bin # 120-222 OT					
J. Additional Descriptions for Materials Listed Above 11a. Profile number, CA1134 Concrete impregnated with chromium		K. Handling Codes for Wastes Listed Above a. b. c. d.		I. Waste Number State EPA/Other (5) D007	
15. Special Handling Instructions and Additional Information 24 Hour Emergency Telephone Number (800) 424-9300 (Chemtrec) Site Address: 19503 South Normandie Ave. Torrance, CA 90502 DOT ERG#11a) 171 20 cubic yard roll off bin					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Maria Taleff		Signature Maria Taleff		Month Day Year 05 31 01	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name JOSE ALVAREZ		Signature Jose Alvarez		Month Day Year 05 31 01	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Signature Month Day Year					

DO NOT WRITE BELOW THIS LINE.

4/05/99

LAND DISPOSAL NOTIFICATION AND CERTIFICATION FORM (PHASE IV)

Generator Name:

Douglas Aircraft Company

Manifest Doc. No.:

1970

Profile Number:

EA1134

State Manifest No.:

20879720

1. Is this waste a non-wastewater or wastewater? (See 40 CFR 268.2) Check ONE: Nonwastewater ☒ Wastewater ☐
2. Identify ALL USEPA hazardous waste codes that apply to this waste shipment, as defined by 40 CFR 261. For each waste code, identify the corresponding subcategory, or check NONE if the waste code has no subcategory. Spent solvent treatment standards are listed on the following page. If F039, multi-source leachate applies, those constituents must be listed and attached by the generator. If D001-D043 requires treatment of the characteristic and meet 268.43 standards, then the underlying hazardous constituent(s) present in the waste must be listed and attached.

REF #	3. US EPA HAZARDOUS WASTE CODE(S)	4. SUBCATEGORY ENTER THE SUBCATEGORY DESCRIPTION. IF NOT APPLICABLE, SIMPLY CHECK NONE		5. HOW MUST THE WASTE BE MANAGED? ENTER LETTER FROM BELOW
		DESCRIPTION	NONE	
1	D007		X	A
2				
3				
4				

To identify F039 or D001-D043, underlying hazardous constituent(s), use the "F039/Underlying Hazardous Constituent Form" provided (CWM-2004) and check here:
 If no UHCs are present in the waste upon its initial generation check here: ☒
 To list additional USEPA waste code(s) and subcategory(ies), use the supplemental sheet provided (CWM-2005-B) and check here:

HOW MUST THE WASTE BE MANAGED? In column 5 above, enter the letter (A, B1, B3, B4, C, D or E) below that describes how the waste must be managed to comply with the land disposal regulations (40 CFR 268.7). Please understand that if you enter the letter B1, B3, B4 or D, you are making the appropriate certification as provided below. (States authorized by EPA to manage the LDR program may have regulatory citations different from the 40 CFR citations listed below. Where these regulatory citations differ, your certification will be deemed to refer to those state citations instead of the 40 CFR citations.)

A. RESTRICTED WASTE REQUIRES TREATMENT

This waste must be treated to the applicable treatment standards set forth in 40 CFR 268.40.

For Hazardous Debris: "This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45."

B.1 RESTRICTED WASTE TREATED TO PERFORMANCE STANDARDS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the treatment standards specified in 40 CFR 268.40 without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

B.2 (Certification removed by Phase IV.)

B.3 GOOD FAITH ANALYTICAL CERTIFICATION FOR INCINERATED ORGANICS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the nonwastewater organic constituents have been treated by combustion in units as specified in 268.42 Table 1. I have been unable to detect the nonwastewater organic constituents despite having used best good faith efforts to analyze for such constituents. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

B.4 DECHARACTERIZED WASTE REQUIRES TREATMENT FOR UNDERLYING HAZARDOUS CONSTITUENTS

"I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.40 to remove the hazardous characteristic. This decharacterized waste contains underlying hazardous constituents that require further treatment to meet universal treatment standards. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

C. RESTRICTED WASTE SUBJECT TO A VARIANCE

This waste is subject to a national capacity variance, a treatability variance, or a case-by-case extension. Enter the effective date of prohibition in column 5 above.

For Hazardous Debris: "This hazardous debris is subject to the alternative treatment standards of 40 CFR Part 268.45."

D. RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT


"I certify under penalty of law I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR Part 268 Subpart D. I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

E. WASTE IS NOT CURRENTLY SUBJECT TO PART 268 RESTRICTIONS

This waste is a newly identified waste that is not currently subject to any 40 CFR Part 268 restrictions.

I hereby certify that all information submitted in this and all associated documents is complete and accurate, to the best of my knowledge and information.

Signature



Title

Env. Eng.

Date

05/31/01

1990 Chemical Waste Management, Inc. - 08/98 - Form CWM-2005-C

SOLVENT

If the waste identified on the first page of this form is described by any of the following USEPA hazardous waste codes F001, F002, F003, F004, F005, and all solvent constituents will not be monitored by the treater, then each constituent MUST be identified below by checking the appropriate box and this page must accompany the shipment, along with the previous page of this form. If the waste code F039 describes this waste, then the corresponding list of constituents must be attached. If D001-D043 require treatment to 268.48 standards, then the underlying hazardous constituent(s) must also be attached.

SOLVENT WASTE TREATMENT STANDARDS²

F001 through F005 spent solvent constituents and their associated USEPA hazardous waste code(s).	Treatment Standard ¹	F001 through F005 spent solvent constituents and their associated USEPA hazardous waste code(s).	Treatment Standard ¹
	Wastewater Nonwastewater		Wastewater Nonwastewater

¹ All spent solvent treatment standards are measured through a total waste analysis (TCA), unless otherwise noted. Wastewater units are mg/l, nonwastewater are mg/kg.

² For contaminated soils using the alternative soil treatment standard, the treatment standards for F001-F005 spent solvents must be a 90% reduction of constituents or less than 10 x the standards listed.

SUBCATEGORY REFERENCE

D001:

A. Ignitable characteristic wastes, except for the 40 CFR 261.11(a)(1) High TOC subcategory.

B. High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.11(a)(1) - Greater than or equal to 10% total organic carbon.